

# Gillnet



Gillnetting

## Our Seasonal Alaskan Store:

Seamar Naknek:  
Voice: 907-246-4230  
Fax: 907-246-4246  
#1 Alpha Way  
P.O. Box 352  
Naknek, AK 99633

Supporting commercial fishing fleets with a full selection of: hydraulics, netting, & commercial fishing supplies of all types.

Specializing in performance hydraulic systems & technical support for the Bristol Bay Fishery.

Gillnetting

Open Seasonally - April to August  
24 hr services available.

**SEA-MAR** *MOMOI*

**M1  
Super**

Order nets for next Season Now!  
Tom Reed and Mark Grant  
can help you make the right decisions  
from their years of experience!

*Ask about MOMOI'S M1 Super, the high  
strength nylon Gillnet web.*

**SEATTLE 800-426-2783**  
**MARINE**  
& Fishing Supply Co.  
Seattle: (206) 285-5010  
Fax: (206) 285-7925

## Kodiak Marine Supply

412 Shelikof

Kodiak, AK 99615

Phone: (907) 486-5752

Fax: (907) 486-2662

*Great Year Round Service & Supply !*





**Six styles of gillnet fit into these categories:**

See our Website for colors

[www.seamar.com](http://www.seamar.com)

**1) Monotwist Gillnet**

Made of various numbers of fibers all of a #1.5 size 0.20 mm diameter. Standard Strength

The sizes are as follows:

- MT #26 \_\_\_\_\_ (#1.5 x 6 strands)
- MT #29 \_\_\_\_\_ (#1.5 x 7 strands)
- MT #33 \_\_\_\_\_ (#1.5 x 8 strands)
- MT #43 \_\_\_\_\_ (#1.5 x 9 strands)
- MT #50 \_\_\_\_\_ (#1.5 x 10 strands)
- MT #63 \_\_\_\_\_ (#1.5 x 12 strands)
- MT #73 \_\_\_\_\_ (#1.5 x 14 strands)
- MT #83 \_\_\_\_\_ (#1.5 x 16 strands)
- MT #93 \_\_\_\_\_ (#1.5 x 18 strands)
- MT #123 \_\_\_\_\_ (#1.5 x 24 strands)



**SALMON GILLNETTING**

We supply the Momoi brand of gillnetting, but can special order others.

We supply gear for all major commercial fisheries in Alaska including Bristol Bay, False Pass, Port Moller, Sand Point, Cook Inlet, Prince William Sound, and Southeast Alaska. Of course, we stock the most popular sizes and colors for each of the areas.

Gillnetting is also available for Washington, Oregon, and California and any fisheries. Any gillnetting can be special ordered from the factory with a minimum of 90 days for delivery. The following styles are available:

Alaska Legal Salmon Gillnetting:

- Supertwist (MST) - 10-12% stronger than Monotwist
- Monotwist
- Alaska 6 Style, 6 Strand
- MA-6 Super 6 Strand

Herring Web:

- Single Strand Monofilament: Legal only for herring in the State of Alaska, as well as salmon in Cook Inlet!

State of Alaska law requires that gillnetting used for salmon must contain at least six filaments, each of which must be at least #1.5 in diameter - equivalent to 0.20mm.

**Setnetters: Special Order**

Nets can be ordered with Guard Mesh on a special order basis. This puts heavier web on the top and bottom right where most of the abuse occurs.

No Stock # for this service - Special Order.

**Paneled Nets: Special Order**

You can order your web with different color "panels" manufactured into it.

**Note** - Some sizes are limited to a double-knot, but the majority of the sizes are available in MOMOI's patented No-Slip triple knot. Any color may be ordered from the **MOMOI color chart** for any type of gillnet. Shades produced by other manufacturers may also be ordered.

**Sample cards & price quotations** are available on request.

See our Website for colors: [www.seamar.com](http://www.seamar.com)

**2) MST Gillnet**

Same construction as Monotwist, but uses M1-Super nylon for added strength.

The sizes are as follows:

- MST #26 \_\_\_\_\_ (#1.5 x 6 strands)
- MST #29 \_\_\_\_\_ (#1.5 x 7 strands)
- MST #33 \_\_\_\_\_ (#1.5 x 8 strands)
- MST #43 \_\_\_\_\_ (#1.5 x 9 strands)
- MST #50 \_\_\_\_\_ (#1.5 x 10 strands)
- MST #63 \_\_\_\_\_ (#1.5 x 12 strands)
- MST #73 \_\_\_\_\_ (#1.5 x 14 strands)

**3) Alaska 6**

AK-6 style consists of a constant strand count of six strands with the diameter of the individual strands increasing for additional strength.

The sizes are as follows:

- AK-6 #29 \_\_\_\_\_ (#1.75 x 6 strands)
- AK-6 #33 \_\_\_\_\_ (#2.00 x 6 strands)
- AK-6 #43 \_\_\_\_\_ (#2.25 x 6 strands)
- AK-6 #50 \_\_\_\_\_ (#2.50 x 6 strands)
- AK-6 #63 \_\_\_\_\_ (#3.00 x 6 strands)
- AK-6 #73 \_\_\_\_\_ (#3.50 x 6 strands)

**4) MA 6**

The same strength as MST, but in 6-strand construction. It is 10-12% stronger than AK-6 through the use of M-1 Super Nylon.

The sizes are as follows:

- MA-6 #29 \_\_\_\_\_ (#1.75 x 6 strands)
- MA-6 #33 \_\_\_\_\_ (#2.00 x 6 strands)
- MA-6 #43 \_\_\_\_\_ (#2.25 x 6 strands)
- MA-6 #50 \_\_\_\_\_ (#2.50 x 6 strands)
- MA-6 #63 \_\_\_\_\_ (#3.00 x 6 strands)
- MA-6 #73 \_\_\_\_\_ (#3.50 x 6 strands)


**5) Single Strand Monofilament**

Available in all sizes for herring, salmon, bait fish, etc.

**5) M1 Monofilament**

Same construction as monofilament, but made with M-1 Super nylon.





**Loomis Fish Pick**

Plastic construction.

Stock #	Description
LPCFP001	Short Handle, Long Hook, Ring Knife Blade
LPCFP002	Long Handle, Long Hook, Rng Knife Blade



**Fish Pick**

Plastic construction. Good grip.

Stock #	Description
AMAPH001	Short Handle, Long Hook


**BRISTOL BAY Gillnetters**

Visit Seamar Naknek for everything you need to get your boat ready this season.

We have a lot of the regular items in this catalog, plus a large supply of hydraulics.

**NAKNEK: 907-246-4230**

**Toll Free: 800 - 426 - 2783**  
**E-Mail: [seamar@seamar.com](mailto:seamar@seamar.com)**



**Ring Knives**

Made of aluminum for quick cutting of web when fishing or mending gillnets. Ring sizes 9-15.

Stock #	Size
HTN09	9
HTN10	10
HTN11	11
HTN12	12
HTN13	13
HTN14	14
HTN15	15



**Net Scissors**

Hot forged, chrome over nickel. Ball bearing hinge. Scissors measure 4-1/2" overall.

Stock #	Description
GSC1	Net Scissor

**Net Scissors**

Stainless steel blades, plastic handles.

Stock #	Description
CLAFL5	Scissors



**Web Shears**

Drop forged of Diamalloy steel, completely heat-treated and tempered to extreme toughness. Cutting edges are electronically hardened. All snips furnished with plastic handles.

Stock #	Description
WISA-13	7" Straight Snip

**Net Scissors**

These scissors have stainless steel blades with 3/8" of serration for easier cutting. Scissors measure 6" overall.

Stock #	Description
CLAFSS6	Net Scissor



**Brailer Release**

Used for releasing gillnet unloading brailers. Stainless steel construction.

Stock #	Description
HMI-BRREL.....	Release



**Brailer Hook**

Used to hang brailers on inside of fish hold. Cast aluminum. Measures 4-1/2" overall.

Stock #	Description
BAYB-001 .....	Hook, One piece



**Sacking Needle**

Used for sewing up burlaps for storage and shipment of hung gillnets.

Stock #	Description
OSB508-6.....	Needle



**Screw Anchors**

Hot dipped galvanized. Forged eye shaft.

Stock #	Size
ANX04 .....	4" x 48"
ANX06 .....	6" x 57"
ANX08 .....	8" x 66"



Other styles of anchors are available! See Accessories.

**Onion Bag - Poly / Sand Bag - Poly**  
Bag for setnetters.

Stock #	Description
FBG-1625POB.....	Onion Bag Poly 16 x 25 1000/B1
FBG-1831PSB .....	Bag Sand Poly 18 x 31 75lb Cap
FBG-1932POB.....	Onion Bag Poly 19 x 32 50# Nsk
FBG-20X36BSB.....	Burlap Sand Bag 20 x 36 500 Bdl
FBG-2136PSB .....	Sand Bag Poly 21 x 36 75lb Cap



**Knot Protector**

A specially developed device for covering exposed knots. Provides protection against hang-ups, but runs freely over rollers and onto drums. Made from high impact polystyrene. For ropes up to 5/8" diameter.

Stock #	Description
SAM916005 .....	Knot Protector

**Net Bags**

Polypropylene net bag measures 4' x 7'. New model has handle built in. Burlap sheets are also available.


Stock #	Description
STP-2006-1 .....	Poly net bag w/handle
STP-8080 .....	Burlap 80" x 80" sheet
STP-88 .....	Burlap 8' x 8' sheet



Gillnetting



**GILLNET POLE FLOATS**



Introduced for the 2008 season, this jacklight is proving to be the most durable in the industry. Seattle Marine's heavy duty jacklight set-up is constructed of quality materials. Pole is 1-1/4" O.D. schedule 40 aluminum tubing and closed cell foam (same as our halibut flag poles).  
 •Lead weight is crimped in place (not screwed in).  
 •Female acme threaded socket at top of the mast accepts Paclite 2 cell light or the ITM 2 cell Strobe light.

Stock #	Description
SMFFP01	Float Pole Only

to add light, add  
 PISPACLITE.....2 Cell Pac Lite  
 ITMDYX-285 .....LED Strobe with Photo Sensor



**GILLNET FLOATS**

**BL-2**

Fully grommeted float of medium density. 22 ounce average flotation salmon float. Available in red, white or yellow.

Stock #	Color	Dia. x Length x Hole Size	Avg. Buoyancy	Pcs./Ctn.
BAOBL2W	White	3-5/8" x 5-1/2" x 5/8"	22 ounce	108
BAOBL2R	Red	3-5/8" x 5-1/2" x 5/8"	22 ounce	108
BAOBL2Y	Yellow	3-5/8" x 5-1/2" x 5/8"	22 ounce	108

**BL-S**

Smaller medium density Gillnet float fully grommeted for use in certain salmon and herring gillnet fisheries. Popular in S.E. Alaska.

Stock #	Color	Dia. X Length x Hole Size	Avg. Buoyancy	Pcs./Ctn.
BAOBLSW	White	3-1/4" x 5" x 5/8" ...	16 ounce	147

Gillnetting



**Pole and Float for 9000 Lights**

9000 series pole, float and ballast. 4 foot pole with vinyl coated foam float.

Stock #	Description
CAL9000-4	Pole Complete

**Stainless Snap Hooks**



**Snap Hook**

AISI 316 Stainless Made in Italy

Stock #	Stock Dia	Length	Breaking strength/lbs.
SDG151060	1/4"	2-3/8"	700
SDG151080	5/16"	3-1/8"	1,400
SDG151100	3/8"	4"	2,000
SDG151120	7/16"	4-3/4"	2,500



**GILLNET Unloading Brailers**

Reinforced polyester vinyl-coated fabric with nylon strapping slings.

All brailers are made to order.

Stock #	Size
STPBRAILERTD	Custom Order





**Herring - Gillnet Corkline**

Code: #537

Braided polyolefin cover over a parallel polyolefin fiber core.

Characteristics:

- Low stretch
- Firm balanced construction.
- Good strength to weight ratio
- Class: Non Spliceable.
- Floating line with specific gravity of .90

Use: Gillnet lead corklines & corklines.

Stock #	Diameter	WEIGHT Lb Per/ 100 Ft.	Length FATHOM
SAM53701055	3/8"	2.3 Lb.	55 Fm.
SAM53701110	3/8"	2.8 Lb.	110 Fm.



**Rivermaster - Gillnet Leadline**

Code: 596

Composite braided cover of spun & continuous filament fiber, over a notched-segmented core.

- Low break strength & good hanging qualities.
- Cover has a black longitudinal hanging line.

Characteristics:

- Excellent abrasion characteristics.
- Weak cover yarns designed to break, so gillnet is saved when snagged up.
- Firm construction and knot holding.
- Use: Gillnet lead - River or deep water fishing.

Stock #	Weight Per 100 Fathom	Diameter	Average Strength	Length Fathom
SAMR491030055	30 Lb. ( 1/4" )		380 Lb.	55 Fm
SAMR491030110	30 Lb. ( 1/4" )		380 Lb.	110 Fm
SAMR491050055	50 Lb. ( 5/16" )		380 Lb.	55 Fm
SAMR491050110	50 Lb. ( 5/16" )		380 Lb.	110 Fm
SAMR491065055	65 Lb. ( 3/8" )		380 Lb.	55 Fm
SAMR491065110	65 Lb. ( 3/8" )		380 Lb.	110 Fm
SAMR491075055	75 Lb. ( 13/32" )		380 Lb.	55 Fm
SAMR491075110	75 Lb. ( 13/32" )		380 Lb.	110 Fm
SAMR491085055	85 Lb. ( 13/32" )		380 Lb.	55 Fm
SAMR491085110	85 Lb. ( 13/32" )		380 Lb.	110 Fm
SAMR491095055	95 Lb. ( 13/32" )		380 Lb.	55 Fm
SAMR491095110	95 Lb. ( 13/32" )		380 Lb.	110 Fm
SAMR49110055	110 Lb. ( 7/16" )		380 Lb.	55 Fm
SAMR49110110	110 Lb. ( 7/16" )		380 Lb.	110 Fm
SAMR491120055	120 Lb. ( 7/16" )		480 Lb.	55 Fm
SAMR491120110	120 Lb. ( 7/16" )		480 Lb.	110 Fm
SAMR491120135	120 Lb. ( 7/16" )		480 Lb.	135 Fm
SAMR491140055	140 Lb. ( 7/16" )		480 Lb.	55 Fm
SAMR491150055	150 Lb. ( 1/2" )		480 Lb.	55 Fm
SAMR491175055	175 Lb. ( 1/2" )		480 Lb.	55 Fm
SAMR491200055	200 Lb.		480 Lb.	55 Fm



**High Performance Dura Pacific Gillnet Corkline**

Code: #533 Soft / 534 Medium / 535 Firm

Combo braided cover of Polyolefin & spun nylon with a parallel polyester core. Cover has black longitudinal hanging line.

- Corkline with 3 times strength needed for hard-towing situations.
- Fathom.55 & 110.

Characteristics:

- High strength - low elongation - long life.
- Durable cover for excellent knot adhesion.
- Great working strength, good abrasion resistance.
- Net position stays put, deploys well off drum.
- Great to lash floats & anchor netting.
- Non Spliceable. Specific Gravity: 1.2

Use for corklines. Seine leadline if external leads are used.

**Soft Lay**

Stock #	Diameter	WEIGHT Per 100 Ft/ Lb	Average STRENGTH	Length FATHOM
SAM53301055	3/8"	3.8 Lb.	4,500 Lb.	55 Fm.
SAM53301110	3/8"	3.8 Lb.	4,500 Lb.	110 Fm.
SAM53302055	7/16"	5.6 Lb.	6,200 Lb.	55 Fm.
SAM53303055	7/16"	5.6 Lb.	6,200 Lb.	110 Fm.
SAM53303110	7/16"	5.6 Lb.	6,200 Lb.	110 Fm.
SAM53304055	9/16"	9.1 Lb.	6,200 Lb.	55 Fm.
SAM53305055	5/8"	10.2 Lb.	6,200 Lb.	55 Fm.

**Medium Lay**

Stock #	Diameter	Wt. Per 100 FT	Average STRENGTH	Length FATHOM
SAM53401055	3/8"	3.8	4,500 Lb	55 Fm.
SAM53401110	3/8"	3.8	4,500 Lb	110 Fm.
SAM53402055	7/16"	5.6	6,200 Lb	55 Fm.
SAM53402110	7/16"	5.6	6,200 Lb	110 Fm.
SAM53402220	7/16"	5.6	6,200 Lb	220 Fm.
SAM53403055	1/2"	7.7	9,500 Lb	55 Fm.
SAM53403110	1/2"	7.7	9,500 Lb	110 Fm.
SAM53404055	9/16"	9.1	11,400 Lb	55 Fm.
SAM53404110	9/16"	9.1	11,400 Lb	110 Fm.
SAM53405055	5/8"	10.2	13,200 Lb	55 Fm.

**Firm Lay**

Stock #	Diameter	Wt. Per 100 FT	Average STRENGTH	Length FATHOM
SAM53502110	7/16"	5.6	6,200 Lb.	110 Fm.
SAM53503110	1/2"	7.7	9,500 Lb.	110 Fm.

**Polytron Weedline - Code: 335**

Fast splicing single braid with Ultra Blue copolymer olefin fiber. Quick-Splice floats with very high wet and dry abrasion resistance.

Ultra Blue fiber has excellent dielectric properties and is extruded with SL-5 ultraviolet inhibitor to provide superior resistance to sunlight degradation.

Characteristics:

- Stronger than standard polypropylene.
- Excellent wet/dry abrasion resistance.

Elastic elongation at % of break strength:

10%	20%	30%	Specific Gravity .94 (Floats)
1.1	1.9	2.6	

Stock #	Description	Diameter	FATHOM
SAM335016X110	Quick-Splice Polytron	1/4"	110 Ftm
SAM335016X220	Quick-Splice Polytron	1/4"	220 Ftm

Gillnetting





**OceanMaster / Dura - Gillnet Leadline**

Code: 489

Braided combo cover of polyolefin & spun nylon, over a flexible notched-segmented leadcore.

•Cover has a black longitudinal hanging line.

Characteristics:

- Excellent strength, flexible, easy to handle.
- Good surface yarns on cover to lash netting.
- Non-spliceable.

Use for Gillnet lead - oceans, rivers, & lakes.

Stock #	Weight Per 100 Fathom	Diameter	Average Strength	Length Fathom
SAMD489030055...	30 Lb.	( 1/4" )	...800 Lb....	55 Fm
SAMD489030110...	30 Lb.	( 1/4" )	...800 Lb....	110 Fm
SAMD489040055...	40 Lb.	( 5/16" )	...800 Lb....	55 Fm
SAMD489040110...	40 Lb.	( 5/16" )	...800 Lb....	110 Fm
SAMD489050055...	50 Lb.	( 5/16" )	...800 Lb....	55 Fm
SAMD489050110...	50 Lb.	( 5/16" )	...800 Lb....	110 Fm
SAMD489065055...	65 Lb.	( 3/8" )	...800 Lb....	55 Fm
SAMD489065110...	65 Lb.	( 3/8" )	...800 Lb....	110 Fm
SAMD489075055...	75 Lb.	( 13/32" )	...800 Lb....	55 Fm
SAMD489075110...	75 Lb.	( 13/32" )	...800 Lb....	110 Fm
SAMD489085055...	85 Lb.	( 13/32" )	...800 Lb....	55 Fm
SAMD489085110...	85 Lb.	( 13/32" )	...800 Lb....	110 Fm
SAMD489095055...	95 Lb.	( 13/32" )	...800 Lb....	55 Fm
SAMD489095110...	95 Lb.	( 13/32" )	...800 Lb....	110 Fm
SAMD489110055...	110 Lb.	( 7/16" )	...800 Lb....	55 Fm
SAMD489110110...	110 Lb.	( 7/16" )	...800 Lb....	110 Fm
SAMD489120055...	120 Lb.	( 7/16" )	...800 Lb....	55 Fm
SAMD489120110...	120 Lb.	( 7/16" )	...800 Lb....	110 Fm
SAMD489140055...	140 Lb.	( 7/16" )	...800 Lb....	55 Fm
SAMD489140110...	140 Lb.	( 7/16" )	...800 Lb....	110 Fm
SAMD489150055...	150 Lb.	( 1/2" )	...1,500 Lb.	55 Fm
SAMD489150110...	150 Lb.	( 1/2" )	...1,500 Lb.	110 Fm
SAMD489175055...	175 Lb.	( 1/2" )	...1,500 Lb.	55 Fm
SAMD489200055...	200 Lb.	( 1/2" )	...2,000 Lb.	55 Fm
SAMD489250055...	250 Lb.	( 9/16" )	...2,000 Lb.	55 Fm
SAMD489300055...	300 Lb.	( 9/16" )	...2,000 Lb.	55 Fm

Gillnetting



**SY8™ Hollow Braid Polypropylene (Weedline)**

SY8 hollow braid polypropylene is an 8-strand braided rope made from 100% polypropylene. Very buoyant and easily spliced. Green.

Stock #	Description
SAM30708660.....	HB Polypro 1/4" x 660'
SAM307081320.....	HB Polypro 1/4" x 1320'
SAM307081980.....	HB Polypro 1/4" x 1980'

**Gillnet Mending Twine**



**Nylon Mending Twine - Momoi**

Multifilament nylon heavy resin dipped.

•Mends all kinds of gillnets; including monofilament.

•1/2 lbs. Spool - Color Shades: SMBT: Gray - 1, 5, 9, 29

Stock #	Size	Shade	Put-Up	
MOMMT05SMBT	#5	SMBT	1 / 2	L b .
MOMMT0509	#5	9	1 / 2	L b .
MOMMT0529	#5	29	1 / 2	L b .
MOMMT06SMBT	#6	SMBT	1 / 2	L b .
MOMMT0601	#6	1	1 / 2	L b .
MOMMT0605	#6	5	1 / 2	L b .
MOMMT08SMBT	#8	SMBT	1 / 2	L b .
MOMMT0801	#8	1	1 / 2	L b .

**Selvage Twine - Momoi**

Multifilament nylon heavy resin dipped.

•Mends all kinds of Gillnets, including monofilament.

•1 Lb. spools.

Color Shades: M4: Blue/Green - SMB: Gray

Stock #	Size	Shade	Put-Up
MOMSELT024M4.....	#210/24	M4	1 Lb.
MOMSELT030M4.....	#210/30	M4	1 Lb..
MOMSELT042SMB.....	#210/42	SMB	1 Lb.



**More cordage and twine in the Rope section**



**Strobe Light**

Highly efficient photosensitive strobe light. Ideal for longline gear, crab pots, gill nets, and other buoys. Has 2 color flash, red LED and white xenon.

- Visibility range of 1 to 2 miles.
- Life of 3 to 4 weeks depending on: Daylight hours / water temp. and battery quality.
- Uses 1 D cell battery.

Stock #	Description
ITMRX1.....	Light Strobe w/Red LED



**Hi-Intensity Flashing Light**

9000 Light - choice of red/green/white.

- Waterproof, rugged plastic housing. Photo sensor.
- 1 mile visibility - 2 alkaline D cell batteries.

Stock #	Description
CAL9000XW .....	Hi-Intensity Flashing Light



Gilnetting

