

Lubricants

Lubricants





LPS® Heavy-Duty Silicone Lubricant

Unique, water based formulation, use on surfaces of elastomers, rubber, or plastics where chlorinated solvent products can't be used.

- Preserves and protects metal, plastic, wood, rubber, vinyl, and leather. Authorized by USDA where lubricated part is exposed to edible products.
- Authorized USDA, federally inspected meat/poultry plants.

Stock #	Description
LPS01516.....	13 oz. Aerosol



Magnum Lubricant with PTFE

Teflon has superior lubricity, wet penetrating action that protects metal equipment, engines, electric motors, etc. Contains no CFC's or trichloroethane.

High flash point of 175F.USDA req.for H2.

Stock #	Description
LPS00616.....	Magnum Teflon 11 oz.



Marine Instant Galvanize

95% zinc galvanized coating works like hot dip on ferrous metals indoors or out for long term protection. Withstands high temps, electrochemically protects bare metals.

Stock #	Description
LPS00516.....	Cold Galv 14 oz. Aerosol



Corrosion X Inhibitor

Exceptional for marine use. Eliminates corrosion and protects all metals. Lubricates and protects boat trailers, and all dock equipment. For use on any metals exposed to the marine environment.

Stock #	Description
CRX12OZ.....	Corrosion x 12 oz. Aerosol
CRX16OZ.....	Corrosion x 16 oz. Aerosol



Lanocote

Displaces water, forms a moisture barrier that penetrates and prevents corrosion on all metals in salt water and marine conditions. Prevents thread seizure if apply during assembly. Fights galvanization where dissimilar metals are fastened together, like stainless steel fittings on alloy masts.

Stock #	Description
FPR770001	Lanocote 4 oz. Jar
FPR770002	Lanocote 7 oz. Aero.
FPR77007	Lanocote 8 oz. Spray



Industrial 3-36 Lubricant

Frees rusted parts, lubricates, and stops corrosion. Cleans and protects precision instruments and gauges. Meets USDA requirements for meat and poultry plants.

Stock #	Description
CRC03005	3-36 Lubricant 16 oz.



SP400 Corrosion Inhibitor

For long term protection against outdoor corrosion on all metals. Light amber, dry transparent film that seals out moisture for up to 2 years.

Stock #	Description
CRC03282	SP400 Aerosol 10 oz.



Task Master Industrial Strength

Stops corrosion, rust, and frees frozen parts. This lubricant does not run or drip and can be used on damp surfaces. Highest dielectric strength for electrical parts, 50 KV.

Stock #	Size
NACA120	5 oz. Spray.



Lubricants



Corrosion Block

Multi purpose corrosion block handles extreme pressures, extended high/low temperature operations, and protects against rust and corrosion. Resists salt water and out performs lithium and most synthetics. The blue grease is multi-grease compatible.

Stock #	Description
CBLG2	Corrosion Block Grease 2 oz. Tube
CBLB2X3	Corrosion Block Grease 2-3oz. Cart
CBLG14.....	Corrosion Block Grease 14 oz. Cart
CBLG16.....	Corrosion Block Grease 16 oz. Tub
CBL1	Corrosion Block Liquid 1 oz. Bottle
CBL4C	Corrosion Block Liquid 4 oz. Pump
CBL0.....	Corrosion Block Aerosol 12 oz. Spray
CBL4L	Corrosion Block Liquid 4 Liter



Greaseless Lubricant

LPS®1, greaseless lubricant provides a dry, thin lubricating film that penetrates deep into tiny crevices to resist oil, dirt/dust buildup.

- Loosens rusted and frozen parts. Cleans/lubricates delicate mechanisms and electrical/electronic components.
- Displaces moisture, ideal for drying out electrical components.
- Contains no harmful chlorinated solvents, safe for use on rubber, paint, and plastics.
- USDA for use in federally inspected meat and poultry plants.

Stock #	Description
LPS00116	11 oz. Aerosol
LPS01128	1 Gallon Bulk



Industrial-Strength Lubricant

LPS®2, strong, multi-purpose lubricant and penetrant with added corrosion protection.

- Acts fast/penetrates deep to lubricate and protect with light, oily coating. For use on tools and equipment, indoor and out.
- Loosens rusted/frozen parts, reduces wear by friction/corrosion.
- Contains no harmful chlorinated solvents, safe use on rubber, paint, and plastics.
- USDA for use in federally inspected meat and poultry plants.

Stock #	Description
LPS00216	11 oz. Aerosol



Heavy-Duty Rust Inhibitor

LPS®3 provides heavy-duty protection against rust and corrosion under severe weather and/or chemical conditions. Excellent chain lubricant. Widely used where severe corrosion of metals are a problem.

Stock #	Description
LPS00316	11 oz. Aerosol



Marine Silicone Lubricant

Waterproofs canvas, will not wash off. Also used on squeaks or sticky spots. Resists cold and heat. Effective between -40°F to +500°F.

Stock #	Description
CRC06077	Lubricant Silicone 7.5 oz.



CRC Marine Formula 6-66

Starts wet engines. Frees rusted parts with corrosion protectant lubricant that resists salt spray, and water.

Stock #	Description
CRC06005	Formula 6-66 Lube 6 oz.
CRC06006	Formula 6-66 Lube 12 oz.



Power Lube

Multi purpose lube with Teflon displaces and seals out moisture with a corrosion protectant, also protects from friction and pressure wear. Meets USDA requirements for meat and poultry plants.

Stock #	Description
CRC03045	Power Lube 16 oz.



WD-40®

Stops squeaks of moving parts. Cleans grease, tar, and adhesives. Protects against rust and corrosion of equipment, tools, and firearms. Loosens rusted parts and frees sticky mechanisms.

Stock #	Description
WD40-11005	8 oz. Smart Straw
WD40-10032	12 oz. Smart Straw
WD40-10024	18 oz. Big Blast
WD40-10010	1 gallon
WD40-10117	5 gallon
WD40-10000	Spray Bottle Only
WD40-10075	No Mess Pen



WD40 High Performance Penetrant

Professional penetrant works fast to loosen and free rusted and stuck parts. Helps prevent rust and corrosion.

Stock #	Description
WD40-10039	Penetrant 8 oz.
WD40-10040	Penetrant 11 oz.



Liquid Wrench Super Penetrant

Fast acting, super-penetrating solvent loosens rust, corrosion almost instantly frees frozen parts. Easy disassembly on corroded pipe joints/connections, seized parts of any movable mechanism. 4 oz.

Stock #	Description
LWRL104	Liquid Wrench



Screw Loose Penetrating Oil

Clear super penetrate quickly dissolves rust. Loosens frozen bolts with lubricating action. 16 oz.

Stock #	Description
CRC03060	Screwloose Penetrant





Corrosion Control & Trailer Wheel Bearing Grease

Special water-insoluble formula ideal for marine applications. Provides excellent corrosion protection against severe operating conditions caused by salt water. Use on wheel bearings, including disc brake wheel bearings. Also used to protect deck hardware from corrosion.

Stock #	Description
LUB11399	2-pack of 3 oz. carts. 12 per case
LUB11400	4-pack of 3 oz. carts. 12 per case
LUB11402	14 oz. cartridge. 10 per case
LUB11404	16 oz. can. 12 per case
LUB11405	10 oz tube/ Jiffy Luber 12 per case.

LMX™ The "Red" Grease

Industrial/Agricultural formula provides excellent performance in extreme temperatures, pressures, shock loads and high-wear situations. Water insoluble with superior adhesion to bearings and moving parts. 14 oz cartridge, 10 per case.

Stock #	Description
LUB11390	LMX Red Grease 14 oz. Cart.
LUB11389	LMX Red Grease 16 oz. Can.



Multi-Purpose Lithium Grease

Long-lasting, high performance formula. Recommended for chassis, universal joints and other general-purpose rolling parts applications. 3 oz. cartridges.

Stock #	Description
LUB11302	Lithium Grease 2 pk.
LUB11300	Lithium Grease 4 pk..



High Temp Disc Drum/Wheel Bearing Grease

ProTech™ 2000 Ideal for chassis lube, disc/drum wheel bearings and more. Meets high temp required of disc brakes.

Stock #	Description
LUB11465	14 oz. Cart. 10 per case
LUB11380	16 oz. (1 lb Can) 12 per case



Hi Temp Food Machinery Grease

Excellent extreme pressure and antiwear protection. Can be used over a wide range of operating temperatures. USDA H-1 authorized aluminum complex thickened lubricator.

- NLGI #2 - Drop point 500° F. - 14 oz. cartridge.

Stock #	Description
LUB11730	Hi-Temp Food Machinery Grease



Food Machinery Grease

Synthetic food machinery grease formula of the highest quality. USDA H-1 authorized materials. Performs in both high and low temperatures.

- NLGI #2 - Drop point 650° F - 14 oz. cartridge.

Stock #	Description
LUB11735	Synthetic Food Machine Grease



Brake Caliper Grease

Synthetic brake caliper grease is 100% synthetic lithium. Excellent performance in both high and low temperatures.

- GC-Lb by NLGI #2 - Drop point 500°F. 14 oz. cartridge.

Stock #	Description
LUB11751	Brake Caliper Grease



Red Lithium Complex Power - Equipment Grease

Maximum retention at high temperatures. Special additives for high film strength, extreme pressure and antiwear. Excellent oxidation and corrosion inhibitors. 14 oz. cartridge.

- GC-Lb by NLGI #2 - Drop point 500°F.

Stock #	Description
LUB11740	Red Lithium Equipt. Grease



White Lithium Grease

Clean, white color for general home, shop, auto and agricultural applications. Contains no silicones. Can be used on plastic components.

Stock #	Description
LUB11354	Grease White Lithium 14oz Cart



Moly EP Grease

Addition of molybdenum disulfide to lithium based grease makes this lubricant effective for sliding motions like sleeve-journal rotating shafts & ball joints. Contains extreme pressure (EP) additives to reduce scuffing, scoring and seizure with high loads. 14 oz cartridge.

- NLGI #1-1/2 - Drop point 360° F.

Stock #	Description
LUB11335	Molybdenum EP Grease



LubriMatic Grease Guns Feature:

Sturdy 18 gauge steel barrel and zinc die cast head for heavy duty performance. Positive displacement cylinder and push-lock pressure sealing plunger eliminate trapped air. Manufactured in USA.

Ultimate Grease Gun

Lever action ultimate grease gun is equipped with 10" pipe, air bleeder valve, and fits 14 oz. cartridge, bulk or suction. Designed to take extreme punishment.

Stock #	Description
LUB30480.....	Grease Gun



Standard Duty Pistol Grip Grease Gun

Pistol grip, 14 oz grease gun. Straight pipe.

Stock #	Description
LUB30300.....	Grease Gun



Industrial Grease Gun

Lever action, zinc plated, dual port head cap delivers 3 way loading-14 oz cartridge, bulk or suction. Made for industrial everyday use.

Stock #	Description
LUB30465.....	Industrial Grease Gun



Midget Grease Gun Kits

Small gun kit comes with 1-3 oz grease cartridge. Choose from marine corrosion control wheel bearing grease or multi purpose lithium grease.

Stock #	Description
LUB30190.....	Marine Midget Gun Kit
LUB30192.....	Lithium Midget Gun Kit



Grease Gun Parts

Stock #	Description
LUB11850	6" Curved 30° Pipe 1/8" NPT
LUB10212GS	12" Hose For Gun 1/8" NPT
LUB05031.....	1/8" NPT Std. Coupler
LUB05036.....	1/8" NPT HD Coupler



Pistol Grip Oilers-Special Features:

Heavy gauge metal body with detachable, seamless metal or flexible spout. Crimped on body forms catch basin to prevent oil stains. Removable pump parts for easy cleaning.

Pistol Grip Oiler

Pistol grip oiler with 6" flexible spout.

Stock #	Description
LUB50516.....	Oiler6 oz.
LUB50595.....	Oiler8 oz.



Pistol Grip Oiler

Pistol grip oiler with 9" flexib

Stock #	Description
LUB50347.....	Oiler
LUB50337GS	Oiler



Epoxy Finish Pistol Oiler

Pistol grip with 6" flexible spout.

Stock #	Description
LUB50573.....	Oiler1 Pint



55 Gallon Lever Pump

Pump has telescoping suction tube that fits 30-55 gallon drums. Discharge spout has standard garden hose thread. All steel foot valve and piston valve.

Stock #	Description
LUB55123.....	Lever Barrel Pump



Rotary Barrel Pump

Used for the transfer of non-corrosive petroleum-based fluid of light to medium viscosity. Pump is single direction, 2 van with 42" steel suction pipe.

Stock #	Description
LUB55303.....	Rotary Barrel Pump



Bottle Pump

Fits quart size bottles. Flexible hose for hard to reach fill areas.

Stock #	Description
LUB55005.....	Quart Bottle Pump



Metric Grease Fittings

6mm , 8mm, 10mm -5 per pack.

Stock #	Description
LUB11119	6mm Asst/8pc.
LUB11-301	6mm STR.
LUB11-303	6mm 45°
LUB11-305	6mm 90°
LUB11-311	8mm STR.
LUB11-313	8mm 45°
LUB11-321	10mm STR.



Standard Grease Fittings

1/4"-28 - 10 per pack and 1/8" NPT - 5 per pack

Stock #	Description
LUB11955.....	Asst/8pc.
LUB11-101	1/4"-28 STR.
LUB11-105	1/4"-28 45°
LUB11-113	1/4"-28 90°
LUB11201.....	1/4" NPT
LUB11-159	1/8" NPT 45°
LUB11-167	1/8" NPT 90°
LUB11954.....	1/8" Asst/8pc.





Funnels

Multi-purpose plastic funnels.

Stock #	Description
LUB75075	3-Piece Set
LUB75068	Ridgid Funnel 18"
LUB75074	Flexible Funnel 15"



Drain Pan

Plastic oil drain pan with pouring lip..

Stock #	Description
LUB75760	Oil Drain Pan 6 Qt



Fuel Catalyst Additive

Algae-X fuel catalyst is a full spectrum additive and tank cleaning agent. The unique formula eliminates the build up of sludge, improves combustion and reduces harmful emissions. Works with diesel, gasoline, and kerosene.

Stock #	Description
AGXAFC705G	Fuel Catalyst AFC-705 Gallon
AGXAFC7058	Fuel Catalyst 8 oz Bottle



Diesel Treatments

Racor fuel conditioner contains additives to reduce friction, keeps injectors clean, and stabilizes fuel. The diesel biocide controls growth of bacteria and fungi. 16 oz.

Stock #	Description
RACADT1116	Diesel Cond. Plus
RACADT2116	Diesel Biocide



Gas Conditioner

Racor gas condition can be used with all types of combustion systems and gas blends. Cleans fuel injectors and carburetors to provide better fuel economy and lower emissions. Stabilizes quality of stored gas.

Stock #	Description
RACADT5116	Gasoline Conditioner Plus 16 oz



Coolant Treatment

Racor coolant treatment is a combination corrosion inhibitor and iron oxide/scale dispersant. Protects all types of metals, including aluminum, in diesel and gas cooling systems.

Stock #	Description
RACADT8116	Coolant Treatment Racor 16 oz



Oil Filter Wrenches

Swivel handle for small car filters.

Stock #	Description
LUB70701	Filter Wrench



Adjustable filter wrench. Fits filters 2-3/4" to 4"

Stock #	Description
LUB70805	Filter Wrench



Nylon Strap Oil Filter Wrench

Handles spin-type filters up to 6" dia. Non-slip nylon belt with 1/2" square drive.

Stock #	Description
LUB70719	Strap Wrench



Fall Storage Kit

- Everything a boater needs to prepare a boat for winter storage.
- 6 qt. plastic drain pan, 1qt. hi-viscosity lower gear lube.
- Lower unit quart pump with fitting, 4 oz gas stabilizer.
- Fogging oil 12 oz spray and corrosion pro 10 oz spray lube.
- 2 tubes of 3 oz marine trailer bearing grease.

Stock #	Description
LUB11279	Fall Storage Kit

Spring Prep Kit

- Everything a boater needs to get a boat in the water after winter.
- 6 Qt. plastic drain pan, 1 pint lubrimatic TC-W3.
- Lower unit quart pump with fitting, 8 Oz funnel.
- 1 Qt. hi-viscosity lower gear lube.
- 2 tubes of 3 Oz marine trailer bearing grease.

Stock #	Description
LUB11278	Spring Prep Kit

Fogging Oil

Protects internal components of 2- and 4- cycle engines from rust, corrosion, or seizing during seasonal storage. 9-3/4 oz.

Stock #	Description
LUB11412	Fogging Oil



Gumout Injector/Carb Cleaner

Removes gum, varnish and carbon build-up. Helps fight power loss, reduces emissions, and keeps engines running like new, longer. 12 oz.

Stock #	Description
GUM7518	EFI Carburetor Cleaner



Lubricants





Chevron Delo Motor Oils

High performance crankcase oils for use in 2 and/or 4 cycle engines. Provides outstanding protection in new and older engines.

Delo Multigrade premium heavy duty oil recommended for use in both diesel and gasoline engines

Delo 100 SAE 30/40 wt. recommended for use in 2-cycle diesel engines.

Delo 400 SAE 30/40 wt. recommended for use in both 4 cycle gasoline and high speed diesel engines operating under severe service.

Delo Motor Oils

Stock #	Description	Size
DWEMG4001540	15W/40WT 400	quart
DWEMG4001540G	15W/40WT 400	1 gal
DWEMG40015405	15W/40WT 400	5 gal
DWE10030	30 WT 100	quart
DWE10030G	30 WT 100	1 gal
DWE100305G	30 WT 100	5 gal
DWE10040Q	40 WT 100	quart
DWE10040G	40 WT 100	1 gal
DWE40030Q	30 WT 400	quart
DWE40030G	30 WT 400	1 gal
DWE400305G	30 WT 400	5 gal
DWE40040Q	40 WT 400	quart
DWE40040G	40 WT 400	1 gal

Chevron Hydraulic Oil

Designed for use in vane, piston and gear type pumps and performs well in high pressure hydraulic systems.

Stock #	Description
DWEH05G	Hydraulic Oil AW ISO 32 / 5 Gallon



Automatic Transmission Fluid

Stock #	Description
DWEATFQ	Transmission Fluid Quart

LubriMatic®

Two-Cycle Outboard Motor Oils

Provides superior protection against piston scuffing, bearing wear, and spark plug fouling. Recommended for use in oil injection systems. Ashless 50:1 TC-W3 oils meet/exceed specified foreign/domestic manufacturers requirements & warranty are NMMA (TW3™) certified.

Stock #	Description
LUB11590	Pint 12 per case
LUB11591	Quart 12 per case.
LUB11592	Gallon 6 per case.
LUB11593	2-1/2 Gallon 2 per case



3-IN-ONE Oil

General use, multi-pupose oil lubricates, cleans, and prevents rust.

Stock #	Size
WD40-10035	3 oz
WD40-10038	8 oz



4 Stroke HD Marine Oil

HD30 is specific for 4 stroke marine engines. Detergents and anti-wear additives keep your engine running at its peak. Quart, 12 per case.

Stock #	Description
LUB11791	4-Stroke Oil, Quart
LUB11794	4-Stroke Oil, Gallon



Snowmobile Oil

2-cycle extreme temperature oil is pre-diluted to mix with gas for easy flow at low temperatures. Quart.

Stock #	Description
LUB11462	Snowmobile Oil 50:1



Chainsaw and Bar Oil

Protects against rust and corrosion. Extends the life of the saws bar and sprocket. Quart.

Stock #	Description
LUB11532	Chainsaw Bar Oil



Lock Ease Graphite

Prevents sticking and protects against freezing and corrosion on locks, reels, and mechanisms exposed to the elements. Penetrates and leaves a graphite, long wearing film.

Stock #	Description
AGSLE4	Lock Ease 3.4 oz.



Marine Lower Unit Gear Lubricants

High-Viscosity Lower Unit Gear Lube.

80w/90 Gear lube is ideal for modern outboard and stern drive units. Developed specifically for high horsepower motors subject to heavy usage. 12 per case.

Stock #	Description
LUB11540Gear Lube 10 oz. tube.
LUB11552Gear Lube Quart bottle.



Premium Type C Lube

For use in outboards and stern drive units with electric shift mechanisms and other Type C applications.

Stock #	Description
LUB1154210 oz. Tube. 12 per case
LUB11548Type C 5 Gallon. Drum



Power Pro Gear Lube

Synthetic gear lube protects high-performance marine engines against extreme operating conditions.

Stock #	Description
LUB1156310-oz. Tube 12 per case
LUB11564Quart Bottle 12 per case



Gear Lube Hypoid 90

For use with outboard and stern drives with mechanical shift mechanism requiring SAE90 petroleum gear oil. Contains anti-wear additives and inhibitors for rust and corrosion.

Stock #	Description
LUB1154410 oz Tube 12 per case
LUB11556Quart Bottle 12 per case
LUB115505 Gallon



LubriMatic®

Marine Lower Unit Gear Lube Fill Kit

Kit contains two 10 ounce tubes of hi-viscosity lower unit gear lube and filler tube for Mercruiser, OMC, Evinrude, Johnson, Volvo, Force and Gamefisher models.

stock #	Description
LUB11101Lower Unit Fill Kit



Fitting Adapter

For Yamaha, Nissan & Tohatsu models.

Stock #	Description
LUB55012Lube Fitting



Marine Lower Unit Pail Pump

Designed to fit 35-lb. (5 gallon) open head pails. Delivers extremely high volume per stroke of petro-based products directly from pail to marine lower unit. Comes complete with threaded fitting to fit domestic standard lower units.

Stock #	Description
LUB11265Pail Pump



Power Trim and Tilt Fluid

Provides viscosity/lubricity for pump performance and seal life. Combats high operating pressures and resists rust. 10 oz tube 12 per case.

Stock #	Description
LUB11578Trim/Tilt Fluid



Spray Lubricants

Fogging Oil

Protects internal components of 2- and 4- cycle engines from rust, corrosion, or seizing during seasonal storage.

Stock #	Description
LUB11412Fogging Storage Oil 9-3/4 oz



Open Gear & Wire Rope Spray Lube

Reduces wear, withstands extreme pressure. Will not wash or weather away. 12 per case.

Stock #	Description
LUB11473Gear Lube 11-1/4 oz. Can



Belt Dressing

Get better grip and longer life from your belts. 12 oz.

Stock #	Description
PRM80073Belt Dressing



Chain & Cable Lubricant

Graphite molybdenum formula reduces wear and increases chain life. 12-oz. can. 12 per case.

Stock #	Description
LUB11474Chain Lube



Never Seez Regular Grade

Heavy-duty anti-seize and extreme pressure lubricant formula. Protects against rust, seizure, and galvanic corrosion. Applied to metal parts and machinery prior to assembly protects parts and eases in disassembly.

Stock #	Description
NEVNS-10	1 oz. Tube
NEVNSBT8	8 oz. Brush Top
NEVNSBT-4	1/4 lb. Brush Top
NEVNSBT-16	1 lb. Brush Top
NEVNSA-16	16 oz. Aerosol
NEVNS-40	1/4 lb.
NEVNS-160	1 lb. Can

**Never Seez Mariners Choice**

Heavy-duty anti-seize and extreme pressure lubricant formula.

Protects against seizure, and galvanic corrosion in fresh or salt water both above and below water line.

Stock #	Description
NEVNMCBT-8	Never Seez Marine 8 oz.
NEVNMCBT16	Never Seez Marine 16 oz.

**Nickel Anti Seize Lubricant**

Protects metal parts from seizing and galling at temperatures up to 2400°. Nickel compound is used when copper must be avoided. Uses include exhaust systems and manifold bolts, muffler clamps and tailpipe assemblies. 8 oz brush top bottle.

Stock #	Description
PRM77124	Nickel Anti Seize 8 oz.

**Tapmatic Aluminum Cutting Fluid**

Used for tapping, drilling, and threading. Protects and lubricates tools for cleaner and faster cutting. Ultra fine finish to precise tolerance. Contains no tetrachloride.

Stock #	Description
LPS40220	Tapamatic for Aluminum 16 oz.

Tapmatic "Gold" All Metal Cutting Fluid

Excellent for low speed high pressure applications. Minumizes torque increases and reduces friction. Low odor.

Stock #	Description
LPS40320	Tapping Cutting Fluid 16 oz. Bottle
LPS40312	Tapping Cut. Fluid 11 oz Aerosol

3-IN-ONE Oil

General use, multi-pupose oil lubricates, cleans, and prevents rust.

Stock #	Size
WD40-10035	3 oz.
WD40-10038	8 oz.

**GLY Silicone Lubricant**

Waterproof, high-temperature dielectric grease protects as it lubricates. Eliminates corrosion on zippers, snaps, winches, battery terminals, sheaves and all types of hardware and electrical connections.

Stock #	Description
TRVRM350E	Silicone Lubricant Gly 2 oz.

**Dielectric Grease**

Protects electrical connections and wiring from salt, dirt, and corrosion. Protects bulb sockets, and prevents voltage leakage. 0.33 oz tube.

Stock #	Description
PRM81150	Dielectric Grease

**Syntef Shaft Packing Lubricant**

A synthetic teflon shaft lubricant, that when used with other packing materials substantially reduces the amount of water in the stuffing box. Always use when replacing shaft packing for friction reduction and increase in packing life.

Stock #	Description
WPT10150	Syntef Shaft Lubricant 1 oz.

**Bike Lube**

Protects the life of your bicycle from the outside elements. Will not thicken or carbonize.

Stock #	Description
LUB11485	Bike Lube 2 oz. Tube

**Battery Protector and Sealer Lube**

Stops terminal corrosion and increases battery life. Spray on battery terminals in or out of storage. 6 oz aerosol.

Stock #	Description
PRM80370	Battery Protectant Lube

